

P3.91 Indoor Full Color Commercial Advertising Led Display High Definition

Our Product Introduction

for more products please visit us on hdled-display.com

Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: Ce/ROHS/FCC/
- Model Number: VG-RD P3.91
- Minimum Order Quantity: 1 Sq.m
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 7 days





Product Specification

- Product Name: Indoor Full Color LED Display
- Pixel Pitch: 3.91mm
- Pixel Configuration: 1R1G1B/SMD2121 Black Lamp
- Density: 65,536 Pixel/m²
- Module Size(L×W)mm: 250mm×250mm
- Cabinet Size(L×W×H)mm: 500mm×500mm×90mm
- Module Resolution: 64×64
- Cabinet Resolution: 128×128
- Driving Method: 1/16 Scan
- Driving IC: MBI5124 Or ICN 2038S
- Brightness: 1000cd/
- Contrast: 1000:1
- Highlight: led screen module, led video module



More Images



Product Description

P3.91 Indoor Full color LED Display 1R1G1B/SMD2121 Black lamp

Description:

High quality components and precise production process, lower the ratio of blind LEDs;
High color uniformity and clear image can bring you a vivid audio visual effect;
internal fixed reinforcement plate, tensile shock, heat, life for ten years;
Proprietary image processing produces sharp, brilliant images unmatched by industry competition;

Our Product

simplify the largest screen support structure thickness and weight, greatly improve the operability and maintainability engineering installation; accurate, fast and flexible positioning installation, can effectively cope with different installation environment;

P3.91 Indoor Full color LED Display Specification


NO:	Product Name	Specification
1	Pixel Pitch	3.91mm
2	Pixel Configuration	1R1G1B/SMD2121 Black lamp
3	Density	65,536 pixel/m2
4	Module Size(L×W)mm	250mm×250mm
5	Cabinet Size(L×W×H)mm	500mm×500mm×90mm
6	Module Resolution	64×64
7	Cabinet Resolution	128×128
8	Driving Method	1/16 Scan
9	Driving IC	MBI5124 or ICN 2038S
10	Brightness	1000cd/
11	Contrast	1000:1
12	Brightness Adjustment	Auto and Manual
13	Power Consumption	Max Power: 600W
14		Average power: 200W
15	Module Weight	0.52kg
16	Color Temperature	9500K—11500K
17	Horizontal Viewing Angle	160°
18	Vertical Viewing Angle	120°
19	Signal Processing	10 or 14bit
20	Grey Processing	1024×1024×1024 16834×16834×16834
21	Control Distance	cable100m,Multimode500m,Single mode 2km
22	Frame Frequency	65 Hz
23	Refresh Rate	>1920Hz
24	Control Mode	Synchronous/Asynchronous
25	The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
26		Users can choose the recommended curve or adjust it based on actual situation
27	MTBF	>50000 hours
28	Life Span	100,000 Hours
29	Operating Temperature	Working : -20 - 65
30		Storage : -40 - 85
31	Environment Temperature	-30 to 60 ; humidity Rh10% to 95%
32	Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
33	Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
34	Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
35	Power Supply	AC 110-220V
36	Protection	dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

Company Introduction

Shenzhen WeiGu Electronic Technology Co., Ltd is one of leading high-tech manufacturer for LED display, LED lighting and related LED photoelectric engineering. Our factory covers an area of nearly 10, 000 square meter, monthly production reach to 8, 000 square meters of LED display with 15 sets high-speed SMD machine. Mass production ensures the uniformity and stability of all raw materials. Through resource integration, comprehensive integrated solutions, we providing more thoughtful services to our customers with ensuring the products quality and reduce cost effectively.

"Staff are first, customers are highest "is the basic philosophy that we've been insisting since WeiGu LED founded. Our company aim to build a team like wolfs with ability of learning-oriented, high execution, cohesion. Library was been set up for staff learning and relaxation. We also set up volunteer team to reveal enterprise positive energy. Company's overall image and working environment and positive energy has attracted a group of senior technological team and formed from the LED components to the LED terminal product research and development, manufacture complete industry scale.

Our products WeiGu LED displays in the rapidly expanding Chinese market at the same time, has towards the international market, and the share of export gradually increasing. (all of our products passed RoHS/CCC/CE/EMC/ISO /FCC certifications. The LED application product variety is complete which researched and manufactured by our company, the product structure diversifying. Including: Cover the indoor and outdoor series. Such like: 1. Rental display; 2. Advertising LED display; 3. LED TV; 4. Full color anomalous display etc. Products are widely used in various public places: Such as commercial plaza, government agency, stadiums, transport facilities, financial institutions, theater, performance hall, etc. Our products are exported to the United States, Europe, southeast Asia and other countries, Hong Kong, Taiwan and other regions. With international standards of production process, strictly control product quality and won the customer consistent high praise.

 86-15118043086  Linda@vegooled.com  noled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District ,
Shenzhen, China