



P4 Led Video Wall Indoor Advertising LED Display For TV Show / Theater

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-FD 3
- Minimum Order Quantity: 1 Sq.m
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 15 working days
- Supply Ability: 3000 Sq.m / month



Product Specification

- Product Name: P4 Indoor Full Color LED Display
- Certification: CE/ROHS/FCC
- Pixel Configuration: 1R1G1B/SMD2121 Black Lamp
- Density: 62,500 Pixel/m²
- Module Size(L×W)mm: 256mm×128mm
- Contrast: 1000:1
- Highlight: full color led display board,
indoor full color led display screen



Product Description

TV Show / Theater 1R1G1B P4 Indoor Full color LED Display 1000cd/

Quick Detail:

1. Super rather stable;
2. Easy connection and disassembling;
3. Wide application, good for rental or fixed installation;
4. High resolution and high frequency dynamic image.

Applications:

Shopping Malls
Music Venues and Concerts
Large Offices
Theater and Arts
TV Shows
Car Shows

P4 Indoor Full color LED Display Specification:

NO:	Product Name	Specification
1	Pixel Pitch	4mm
2	Pixel Configuration	1R1G1B/SMD2121 Black lamp
3	Density	62,500 pixel/m2
4	Module Size(L×W)mm	256mm×128mm
5	Cabinet Size(L×W×H)mm	512mm×512mm×90mm
6	Module Resolution	64×32
7	Cabinet Resolution	128×128
8	Driving Method	1/16 Scan
9	Driving IC	MBI5124 or ICN 2038S
10	Brightness	1000cd/
11	Contrast	1000:1
12	Brightness Adjustment	Auto and Manual
13	Power Consumption	Max Power: 610W
14		Average power: 240W
15	Module Weight	0.2kg
16	Color Temperature	9500K—11500K
17	Horizontal Viewing Angle	140°
18	Vertical Viewing Angle	140°
19	Signal Processing	10 or 14bit
20	Grey Processing	1024×1024×1024 16834×16834×16834
21	Control Distance	cable100m,Multimode500m,Single mode 2km
22	Frame Frequency	65 Hz
23	Refresh Rate	>1920Hz
24	Control Mode	Synchronous/Asynchronous
25	The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
26		Users can choose the recommended curve or adjust it based on actual situation
27	MTBF	>50000 hours
28	Life Span	100,000 Hours
29	Operating Temperature	Working : -20 - 65
30		Storage : -40 - 85
31	Environment Temperature	-30 to 60 ; humidity Rh10% to 95%
32	Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
33	Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
34	Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7

35	Power Supply	AC 110–220V
36	Protection	dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

Service After-sale:

Normal products have one year guarantee, and whole life maintenance, free charges . we just charge materials cost only if products out off guarantee.

You can down load and upgrade the related operating software of Led display freely from our company website , so as to resolve the problems when you use our led display .

Check the quality of appliance , do maintenance job and ask good suggestions form clients on a regular time schedule .

Customer Service

1) Guarantee Time: Within one year after delivery form factory

2) Maintenance Coverage : LED modules,Power supply ,Control system and other accessories (This warranty exclude accessories purchasing form other factory)

3) Maintenance Mode :

By returned maintenance , through express or by other way

4) Response time for maintenance :

Return mode: after receiving the returned products, we will repaired them within 24 hours and send them back to the user;

Telephone or internet mode: we will contact user within 2 hours after getting informations and give solution within 8 hours;

On-site mode: (only for user inside china) after receiving maintenance request , we will respond within 48 hours to user in Guangdong province; 72 hours to user outside Guangdong province, In the case of some special conditions , problems could be solved on the basis of friendly negotiation between two parties.



Shenzhen Weigu Electronic Technology Co., Ltd.



86-15118043086



Linda@vegooled.com



hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District ,
Shenzhen, China