

Advertising Outdoor P5mm Street Pole LED Display MBI5124 / ICN 2038S

Our Product Introduction

for more products please visit us on hdled-display.com

Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-SD P5
- Minimum Order Quantity: 1 pcs
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 10 days



Product Specification

- Product Name: P5 Outdoor Full Color Advertising Display
- Pixel Pitch: 5mm
- Pixel Configuration: 1R1G1B/SMD2727
- Cabinet Resolution: 192×192
- Driving Method: 1/8 Scan
- Driving IC: MBI5124 Or ICN 2038S
- Brightness: 6000cd/
- Contrast: 1000:1
- Highlight: **full color outdoor led display, outdoor led advertising signs**



Product Description

Outdoor Street Advertising Light Pole Led Display

Description:

- 1, High brightness,easy installation
- 2, Energy saving,Easy maintenance
- 3, Advanced dot adjusting

Self-adjustment function Automatically adjusts outdoor LED display brightness to suitable level through outdoor environment condition

It can be used in advertisement,stage,stadium,exhibition,TV-Show,mansion video wall,shopping mall,banks,schools,bus station,airport,gym,market,factories,monitoring centers,hospitals,bars etc.

P5 Outdoor Full color LED Display Specification

| Product Name | Specification |
|--------------------------------|---|
| Pixel Pitch | 5mm |
| Pixel Configuration | 1R1G1B/SMD2727 |
| Density | 40,000 pixel/m2 |
| Module Size(L×W)mm | 320mm×160mm |
| Cabinet Size(L×W×H)mm | 960mm×960mm×130mm |
| Module Resolution | 64×32 |
| Cabinet Resolution | 192×192 |
| Driving Method | 1/8 Scan |
| Driving IC | MBI5124 or ICN 2038S |
| Brightness | 6000cd/ |
| Contrast | 1000:1 |
| Brightness Adjustment | Auto and Manual |
| Power Consumption | Max Power: 750W |
| | Average power: 225W |
| Module Weight | 0.28kg |
| Color Temperature | 9500K—11500K |
| Horizontal Viewing Angle | 140° |
| Vertical Viewing Angle | 140° |
| Signal Processing | 10 or 14bit |
| Grey Processing | 1024×1024×1024 16834×16834×16834 |
| Control Distance | cable100m,Multimode500m,Single mode 2km |
| Frame Frequency | 65 Hz |
| Refresh Rate | >1920Hz |
| Control Mode | Synchronous/Asynchronous |
| The Opposite Calibration Curve | With Eight Optional Gamma Calibration Curve |
| | Users can choose the recommended curve or adjust it based on actual situation |
| MTBF | >50000 hours |
| Life Span | 100,000 Hours |
| Operating Temperature | Working : -20 - 65 |
| | Storage : -40 - 85 |
| Environment Temperature | -30 to 60 ; humidity Rh10% to 95% |
| Self-checking Technique | Self-inspection, communication test, power test, temperature monitoring (Be customized) |
| Operating System Platform | WindowsNT,Windows2000,WindowsXP,Windows7 |
| Power Supply | AC 85-264V |

Remote Control

Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)

Self-checking Technique

Self-inspection, communication test, power test, temperature monitoring (Be customized)

Protection

waterproof, dustproof, high temperature prevention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

Customer Service

- 1) Guarantee Time: Within one year after delivery from factory
- 2) Maintenance Coverage : LED modules, Power supply ,Control system and other accessories (This warranty exclude accessories purchasing from other factory)
- 3) Maintenance Mode :
By returned maintenance , through express or by other way
- 4) Response time for maintenance :

1. Return mode: after receiving the returned products, we will repaired them within 24 hours and send them back to the user;

2. Telephone or internet mode: we will contact user within 2 hours after getting informations and give solution within 8 hours;

3. On-site mode: (only for user inside china) after receiving maintenance request , we will respond within 48 hours to user in Guangdong province; 72 hours to user outside Guangdong province, In the case of some special conditions , problems could be solved on the basis of friendly negotiation between two parties.



Vegoo 威固电子 Shenzhen Weigu Electronic Technology Co., Ltd.

☎ 86-15118043086 ✉ Linda@vegooled.com 🌐 hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District, Shenzhen, China