



High Definition Advertising Soft Flexible Led Display P4 Led Screen For Media Facade

Our Product Introduction


Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-SD P4
- Minimum Order Quantity: 1 sq.m
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 12-15 days



Product Specification

- Product Name: Flexible LED Screen
- Density: 62,500 Pixel/m²
- Moduel Size(L×W)mm: 256mm×128mm
- Cabinet Size(L×W×H)mm: 512mm×512mm×90mm
- Driving Method: 1/16 Scan
- Driving IC: MBI5124 Or ICN 2038S
- Brightness: 1000cd/
- Contrast: 1000:1
- Highlight: flexible led display, flexible led video wall



for more products please visit us on hdled-display.com

Product Description

Advertising Soft Flexible LED Screen for Media Facade

Description:

High quality, High defination, High refresh;
 Have high refresh and grey scale, hd picture is exquisite, quality and stability;
 High pixel density, High definition, Good display vision;
 High Reliance

P4 Indoor Full color LED Display Specification:

NO:	Product Name	Specification
1	Pixel Pitch	4mm
2	Pixel Configuration	1R1G1B/SMD2121 Black lamp
3	Density	62,500 pixel/m ²
4	Moduel Size(L×W)mm	256mm×128mm
5	Cabinet Size(L×W×H)mm	512mm×512mm×90mm
6	Module Resolution	64×32
7	Cabinet Resolution	128×128
8	Driving Method	1/16 Scan
9	Driving IC	MBI5124 or ICN 2038S
10	Brightness	1000cd/
11	Contrast	1000:1
12	Brightness Adjustment	Auto and Manual
13	Power Consumption	Max Power: 610W
14		Average power: 240W
15	Module Weight	0.2kg
16	Color Temperature	9500K—11500K
17	Horizontal Viewing Angle	140°
18	Vertical Viewing Angle	140°
19	Signal Processing	10 or 14bit
20	Grey Processing	1024×1024×1024 16834×16834×16834
21	Control Distance	cable100m,Multimode500m,Single mode 2km
22	Frame Frequency	65 Hz
23	Refresh Rate	>1920Hz
24	Control Mode	Synchronous/Asynchronous
25	The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
26		Users can choose the recommended curve or adjust it based on actual situation
27	MTBF	>50000 hours
28	Life Span	100,000 Hours
29	Operating Temperature	Working : -20 - 65
30		Storage : -40 - 85
31	Environment Temperature	-30 to 60 ; humidity Rh10% to 95%
32	Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
33	Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
34	Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
35	Power Supply	AC 110–220V
36	Protection	dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

Application :

As stage backgro
 Und for stage shows, concerts etc. ;
 Indoor & outdoor decoration, as led video ceiling/video wall, etc;

As building facade, large advertising screen, led pixel light, soft led string, etc;
For modeling to create any innovative ideas;
For rental & fixed projects.

Our service

1. Your inquiry related to our products or price will be replied in 2hrs
2. OEM customized products
3. 2 years warranty
4. Complaint respond period not exceed 24 hours; maintenance guidance and problem solution supplied in 48 hours.
5. Free technician training..
6. Top quality+Reasonable price+Responsible After Service=Successful & Win

Products exchanged or returned :


we supply our products strictly according to the contract list , if the quantity or specification doesn't meet our contract list, the buyer can give objections within 3 days after received the products , we'll exchanged after company confirmed.

Casual damage situation:

We can provide corresponding fittings without extra fee when improper operation or unexpected artificial damaged arise .

Over Guarantee time :

You only have to pay maintenance cost such as labor costs , spare parts costs and round-trip costs !



Vegoo 威固电子 **Shenzhen Weigu Electronic Technology Co., Ltd.**

☎ 86-15118043086

✉ Linda@vegooled.com

🌐 hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District ,
Shenzhen, China