

## High Refresh Rate 4mm Flexible LED Screen Full Hd Led Display 1000cd/

Our Product Introduction

for more products please visit us on [hdled-display.com](http://hdled-display.com)


### Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-SD P4
- Minimum Order Quantity: 1 sq.m
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 12-15 days



### Product Specification

- Product Name: Flexible LED Screen
- Pixel Pitch: 4mm
- Pixel Configuration: 1R1G1B/SMD2121 Black Lamp
- Moduel Size(L×W)mm: 256mm×128mm
- Cabinet Size(L×W×H)mm: 512mm×512mm×90mm
- Driving Method: 1/16 Scan
- Driving IC: MBI5124 Or ICN 2038S
- Brightness: 1000cd/
- Contrast: 1000:1
- Highlight: **flexible led video wall, flexible led panel**



## Product Description

### High refresh rate Soft Flexible LED Screen 4mm 1R1G1B/SMD2121 Black lamp

#### Description:

High refresh rate, high grey scale level and high accurate color consistency guarantee the vivid pictures and perfect videos. Low power consumption and fast heat dissipation with dual channel heat dissipation Super performance/cost ratio offers you both top notch quality and reasonable price, maximizing the value of your investment.

#### P4 Indoor Full color LED Display Specification:

Product Name	Specification
Pixel Pitch	4mm
Pixel Configuration	1R1G1B/SMD2121 Black lamp
Density	62,500 pixel/m <sup>2</sup>
Module Size(L×W)mm	256mm×128mm
Cabinet Size(L×W×H)mm	512mm×512mm×90mm
Module Resolution	64×32
Cabinet Resolution	128×128
Driving Method	1/16 Scan
Driving IC	MBI5124 or ICN 2038S
Brightness	1000cd/
Contrast	1000:1
Brightness Adjustment	Auto and Manual
Power Consumption	Max Power: 610W
	Average power: 240W
Module Weight	0.2kg
Color Temperature	9500K—11500K
Horizontal Viewing Angle	140°
Vertical Viewing Angle	140°
Signal Processing	10 or 14bit
Grey Processing	1024×1024×1024 16834×16834×16834
Control Distance	cable100m,Multimode500m,Single mode 2km
Frame Frequency	65 Hz
Refresh Rate	>1920Hz
Control Mode	Synchronous/Asynchronous
The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
	Users can choose the recommended curve or adjust it based on actual situation
MTBF	>50000 hours
Life Span	100,000 Hours
Operating Temperature	Working : -20 - 65
	Storage : -40 - 85
Environment Temperature	-30 to 60 ; humidity Rh10% to 95%
Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
Power Supply	AC 110–220V
Protection	dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

#### Application :

Widely used in stage, concert, TV studio, wedding, conference, ceremony gala, exhibition presentation, commercial advertising and other indoor rental events.

### **Our service**

1. Your inquiry related to our products or price will be replied in 2hrs
2. OEM customized products
3. 2 years warranty
4. Complaint respond period not exceed 24 hours; maintenance guidance and problem solution supplied in 48 hours.
5. Free technician training..
6. Top quality+Reasonable price+Responsible After Service=Successful & Win

### **Products exchanged or returned :**

we supply our products strictly according to the contract list , if the quantity or specification doesn't meet our contract list, the buyer can give objections within 3 days after received the products , we'll exchanged after company confirmed.

### **Casual damage situation:**

We can provide corresponding fittings without extra fee when improper operation or unexpected artificial damaged arise .

### **Over Guarantee time :**

You only have to pay maintenance cost such as labor costs , spare parts costs and round-trip costs !



**Vegoo** 威固电子 **Shenzhen Weigu Electronic Technology Co., Ltd.**

☎ 86-15118043086    ✉ [Linda@vegooled.com](mailto:Linda@vegooled.com)    🌐 [hdled-display.com](http://hdled-display.com)

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District ,  
Shenzhen, China