



P20 DIP 346 Outdoor Transparent LED Screen Transparent Glass Led Display

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-SD P20
- Minimum Order Quantity: 1 Sq.m
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 20-25 working days
- Supply Ability: 3000 Sq.m/ Month



Product Specification

- Product Name: Outdoor Full Color LED Display
- Pixel Pitch: 20mm
- Density: 2,500 Pixel/m²
- Moduel Size(L×W)mm: 960mm×17mm
- Cabinet Resolution: 48×16
- Driving Method: 1 Scan
- Driving IC: MBI5124
- Brightness: 5500CD/
- Highlight: transparent led display, transparent led panel



for more products please visit us on hdled-display.com

Product Description

High Transparent LED Display , Outdoor Transparent Glass LED Display

Description:

1. Good visualization:

Glass based design allows the light to pass through the glass without any influence to the building structure around..

2. Frameless structure

Leeman glass display can directly stick to the inside part of the glass wall by special designed glue, and after 10 seconds curing, it will connect with the glass wall firmly. Thus decrease the installation difficulty and cost greatly.

3. Easy and convenient maintenance.

It can be maintained from inside, safer and more convenient.

4. Saving lighting costs of the whole building.

Besides good advertising effect, Leeman LED glass display also helps lighting the glass wall, thus makes the glass wall more attractive and saving a lot lighting cost.

5. Wide use range.

Wherever the glass wall is, Leeman glass LED display can be installed. Such as bank, supermarket, theater, business street, hotel, public civic buildings, and landmark buildings, etc.

P20 DIP 346 Outdoor Full color LED Display Specification

NO:	Product Name	Specification
1	Pixel Pitch	20mm
2	Pixel Configuration	1R1G1B/DIP 346
3	Density	2,500 pixel/m ²
4	Module Size(L×W)mm	960mm×17mm
5	Cabinet Size(L×W×H)mm	960mm×320mm×90mm
6	Module Resolution	48×0.85
7	Cabinet Resolution	48×16
8	Driving Method	1 Scan
9	Driving IC	MBI5124
10	Brightness	5500CD/
11	Contrast	1000:1
12	Brightness Adjustment	Auto and Manual
13	Power Consumption	Max Power: 600W
14		Average power: 450W
15	Cabinet Weight	18kg
16	Color Temperature	9500K—11500K
17	Horizontal Viewing Angle	140°
18	Vertical Viewing Angle	140°
19	Signal Processing	10 or 14bit
20	Grey Processing	1024×1024×1024 16834×16834×16834
21	Control Distance	cable100m,Multimode500m,Single mode 2km
22	Frame Frequency	65 Hz
23	Refresh Rate	>1920Hz
24	Control Mode	Synchronous/Asynchronous
25	The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
26		Users can choose the recommended curve or adjust it based on actual situation
27	MTBF	>50000 hours
28	Life Span	100,000 Hours
29	Operating Temperature	Working : -20 - 65
30		Storage : -40 - 85
31	Environment Temperature	-30 to 60 ; humidity Rh10% to 95%
32	Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
33	Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
34	Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7

35	Power Supply	AC 110-220V
36	Protection	waterproof, dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

Products exchanged or returned :

we supply our products strictly according to the contract list , if the quantity or specification doesn't meet our contract list, the buyer can give objections within 3 days after received the products , we'll exchanged after company confirmed.

Casual damage situation:

We can provide corresponding fittings without extra fee when improper operation or unexpected artificial damaged arise .

Over Guarantee time :

You only have to pay maintenance cost such as labor costs , spare parts costs and round-trip costs !



Vegoo 威固电子 **Shenzhen Weigu Electronic Technology Co., Ltd.**

☎ 86-15118043086 ✉ Linda@vegooled.com 🌐 hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District , Shenzhen, China