




High resolution P3.91 indoor full color led display screen 9500K - 11500K

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-RD 6
- Minimum Order Quantity: 1 sq.m
- Packaging Details: Flight case
- Delivery Time: 10-15 days
- Supply Ability: 3000sq.m/month



Product Specification

- Product Name: P3.91 Indoor Full Color LED Display
- Pixel Pitch: 3.91mm
- Pixel Configuration: 1R1G1B/SMD2121 Black Lamp
- Density: 65,536 Pixel/m²
- Brightness: 1000cd/
- Contrast: 1000:1
- Highlight: stage rental led display, led video wall rental

for more products please visit us on hdled-display.com

Product Description

Description:

This screen do not need put cabinet one by one together and then consist of one big screen , just use it directly , which save your time and labour fee.

This intergrated big screen protect by a big tempered glass , it can be applicated in bar or night club.

High resolution , high definition , dseamless display , excellent quality.

We have an excellent capability of self-manufacture and all the manufacturing equipments are capable of self-manufacture .

For more information , please check the following technical parameter table .

P3.91 Indoor Full color LED Display Specification

Product Name	Specification
Pixel Pitch	3.91mm
Pixel Configuration	1R1G1B/SMD2121 Black lamp
Density	65,536 pixel/m ²
Moduel Size(L×W)mm	250mm×250mm
Cabinet Size(L×W×H)mm	500mm×500mm×90mm
Module Resolution	64×64
Cabinet Resolution	128×128
Driving Method	1/16 Scan
Driving IC	MBI5124 or ICN 2038S
Brightness	1000cd/
Contrast	1000:1
Brightness Adjustment	Auto and Manual
Power Consumption	Max Power: 600W
	Average power: 200W
Module Weight	0.52kg
Color Temperature	9500K—11500K
Horizontal Viewing Angle	160°
Vertical Viewing Angle	120°
Signal Processing	10 or 14bit
Grey Processing	1024×1024×1024 16834×16834×16834
Control Distance	cable100m,Multimode500m,Single mode 2km
Frame Frequency	65 Hz
Refresh Rate	>1920Hz
Control Mode	Synchronous/Asynchronous
The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
	Users can choose the recommended curve or adjust it based on actual situation
MTBF	>50000 hours
Life Span	100,000 Hours
Operating Temperature	Working : -20 - 65 °C
	Storage : -40 - 85 °C
Environment Temperature	-30°C to 60°C; humidity Rh10% to 95%
Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
Power Supply	AC 110-220V
Protection	dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

Service and Guarantees

Services Before-sale: Set a special telephone line to resolve the confusion from clients and supply free technology services by telephone. Consider the demands of clients carefully, study the situation of the installation condition, Team up the related staff and workers promptly, give clients design program details to help them choose the products which they wanted as soon as possible

Service In - sales : Try the best to meet the reasonable demands by clients Provisional changed . Keep close touch with the clients during the period of installation . Cooperate friendly with the clients, satisfy the clients with the best quality of led display .

Service After-sale: Normal products have one year guarantee, and whole life maintenance, free charges . we just charge materials cost only if products out off guarantee. You can down load and upgrade the related operating software of Led display freely from our company website , so as to resolve the problems when you use our led display . Check the quality of appliance , do maintenance job and ask good suggestions form clients on a regular time schedule .



Shenzhen Weigu Electronic Technology Co., Ltd.



86-15118043086



Linda@vegooled.com



hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District ,
Shenzhen, China