


## Commercial P3 Indoor Full Color LED Display Hire Ads Led Signs 192mm×192mm

Our Product Introduction

for more products please visit us on [hdled-display.com](http://hdled-display.com)


### Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-RD 6
- Minimum Order Quantity: 1 sq.m
- Packaging Details: Flight case
- Delivery Time: 10-15 days
- Supply Ability: 3000sq.m/month



### Product Specification

- Product Name: P3 Indoor Full Color LED Display
- Pixel Pitch: 3mm
- Pixel Configuration: 1R1G1B/SMD2121 Black Lamp
- Density: 111,111pixel/m<sup>2</sup>
- Moduel Size(L×W)mm: 192mm×192mm
- Cabinet Size(L×W×H)mm: 576mm×576mm×90mm
- Brightness: 1000cd/
- Contrast: 1000:1
- Highlight: **stage rental led display,**  
**outdoor rental led display**



## Product Description

### Description:

- 1, Screen cabinet is made of die-casting aluminum material, The effect of heat dissipation is remarkable.
- 2, Light weight, the weight of the cabinet is less than 7 kg; easy installation.
- 3, With bullet-shaped spring lock, the module can be quickly removed and easy to maintain.
4. No fan design, Noise-free power supply.
- 5, Simply perfect appearance, cabinet is adopted die casting molding, high precision and can be realized fine adjustment.

### Application Fields

High brightness indoor P2.5 P3 P3.91 P4 P4.8 P6 high quality rental led display  
 --- Indoor SMD 3 IN 1 Full color Die-casting Cabinet LED display series

Fi is a die-casting aluminum HD led screen, with high durability and vivid performance, perfectly suiting for TV studios, live shows, concerts and indoor rental events.

Display effect & Successful case

P3 Indoor removable LED video wall panel for theater screen  
 Optional Cabinet choices

### P3 Indoor Full color LED Display Specification

NO:	Product Name	Specification
1	Pixel Pitch	3mm
2	Pixel Configuration	1R1G1B/SMD2121 Black lamp
3	Density	111,111pixel/m <sup>2</sup>
4	Module Size(L×W)mm	192mm×192mm
5	Cabinet Size(L×W×H)mm	576mm×576mm×90mm
6	Module Resolution	64×64
7	Cabinet Resolution	192×192
8	Driving Method	1/16 Scan
9	Driving IC	MBI5124 or ICN 2038S
10	Brightness	1000cd/
11	Contrast	1000:1
12	Brightness Adjustment	Auto and Manual
13	Power Consumption	Max Power: 1100W
14		Average power: 440W
15	Module Weight	0.25kg
16	Color Temperature	9500K—11500K
17	Horizontal Viewing Angle	140°
18	Vertical Viewing Angle	140°
19	Signal Processing	10 or 14bit
20	Grey Processing	1024×1024×1024 16834×16834×16834
21	Control Distance	cable100m, Multimode500m, Single mode 2km
22	Frame Frequency	65 Hz
23	Refresh Rate	>1920Hz
24	Control Mode	Synchronous/Asynchronous
25	The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
26		Users can choose the recommended curve or adjust it based on actual situation
27	MTBF	>50000 hours
28	Life Span	100,000 Hours
29	Operating Temperature	Working : -20 - 65 °C
30		Storage : -40 - 85 °C

31	Environment Temperature	-30°C to 60°C; humidity Rh10% to 95%
32	Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
33	Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
34	Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
35	Power Supply	AC110-220V
36	Protection	dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

Our products WeiGu LED displays in the rapidly expanding Chinese market at the same time, has towards the international market, and the share of export gradually increasing. (all of our products passed RoHS/CCC/CE/EMC/ISO /FCC certifications. The LED application product variety is complete which researched and manufactured by our company, the product structure diversifying. Including: Cover the indoor and outdoor series. Such like: 1. Rental display; 2. Advertising LED display; 3. LED TV; 4. Full color anomalous display etc. Products are widely used in various public places: Such as commercial plaza, government agency, stadiums, transport facilities, financial institutions, theater, performance hall, etc. Our products are exported to the United States, Europe, southeast Asia and other countries, Hong Kong, Taiwan and other regions. With international standards of production process, strictly control product quality and won the customer consistent high praise.

Through the ways like cooperation with local customers, set up offices in local, WeiGu LED have set up a batch of after-sales service which can rapidly solve problems. For rapid response, to quickly solve customer problem, personalized solutions. Make the products and services reflect personalized, comprehensive, long cycle, less defects. WeiGu LED is located in Shiyan Town, Baoan district, Shenzhen. Positive response national green environmental protection, energy conservation and emission reduction policy in developing process. We continue to focus on the LED display, striving to become the world's highest cost-effective LED supplier, the solution to the overall service, with the attitude of a new high-speed development in LED display industry.



**Shenzhen Weigu Electronic Technology Co., Ltd.**



86-15118043086



Linda@vegooled.com



hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District, Shenzhen, China