




Indoor P1.667 Commercial Advertising Led Display High Resolution Led Screen

Our Product Introduction


Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-HD 1.667
- Minimum Order Quantity: 1Sq.m
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 15 working days
- Payment Terms: Western Union, T/T
- Supply Ability: 1500Sq.m/months



Product Specification

- Product Name: P1.667 Indoor Full Color LED Display
- Pixel Pitch: 1.667mm
- Pixel Configuration: 1R1G1B/SMD1010 Black Lamp
- Density: 360,000 Pixel/m²
- Moduel Size(L×W)mm: 200mm×150mm×8mm
- Driving Method: 1/30 Scan
- Driving IC: MBI5153
- Brightness: 600cd/
- Highlight: **high resolution led display, commercial advertising led display**



for more products please visit us on hdled-display.com

Product Description

Description:

High resolution models for indoor rental screen
 Superb image quality, excellent color
 Anti-deformation die casted aluminum cabinet, beautiful appearance
 Newly geometric design on the face cover deep black
 Slim, light weight led cabinets, easy and fast when assembly and dismantle
 Support both hanging and stacking, flexible in cabinet assembly.
 Black package LEDs for high contrast.
 Wide viewing angles, the images visible in more than 140 degree viewing angles.
 Perfectly suited for cross-rental/touring applications.

P1.667 Indoor Full color LED Display Specification

Product Name	Specification
Pixel Pitch	1.667mm
Pixel Configuration	1R1G1B/SMD1010 Black lamp
Density	360,000 pixel/m ²
Module Size(L×W)mm	200mm×150mm×8mm
Cabinet Size(L×W×H)mm	400mm×300mm×65mm
Module Resolution	120×90
Cabinet Resolution	240×180
Driving Method	1/30 Scan
Driving IC	MBI5153
Brightness	600cd/
Contrast	1000:1
Brightness Adjustment	Auto and Manual
Power Consumption	Max Power: 950W
	Average power: 350W
Module Weight	0.45kg
Color Temperature	2000K—12000K
Horizontal Viewing Angle	140°
Vertical Viewing Angle	140°
Signal Processing	10 or 14bit
Grey Processing	1024×1024×1024 16834×16834×16834
Control Distance	cable100m,Multimode500m,Single mode 2km
Frame Frequency	65 Hz
Refresh Rate	>3840Hz
Control Mode	Synchronous/Asynchronous
The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
	Users can choose the recommended curve or adjust it based on actual situation
MTBF	>50000 hours
Life Span	100,000 Hours
Operating Temperature	Working : -20 - 65 °C
	Storage : -40 - 85 °C
Environment Temperature	-30°C to 60°C; humidity Rh10% to 95%
Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
Power Supply	AC 85-264V
Protection Level	IP41

Services Before-sale:

Set a special telephone line to resolve the confusion from clients and supply free technology services by telephone.

Consider the demands of clients carefully , study the situation of the installation condition , Team up the related staff and workers promptly , give clients design program details to help them choose the products which they wanted as soon as possible

Service In - sales :

Try the best to meet the reasonable demands by clients Provisional changed .

Keep close touch with the clients during the period if installation .


Cooperate friendly with the clients, satisfy the clients with the best quality of led display .

Service After-sale:

Normal products have one year guarantee, and whole life maintenance, free charges . we just charge materials cost only if products out off guarantee.

You can down load and upgrade the related operating software of Led display freely from our company website , so as to resolve the problems when you use our led display .

Check the quality of appliance , do maintenance job and ask good suggestions form clients on a regular time schedule .

 **Shenzhen Weigu Electronic Technology Co., Ltd.**



86-15118043086



Linda@vegooled.com



hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District ,
Shenzhen, China