




Self Inspection P2.604 Advertising Led Display Screen Led Panel Screen Indoor AC 110V - 220V

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-HD 2.604
- Minimum Order Quantity: 1Sq.m
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 15 working days
- Payment Terms: Western Union, T/T
- Supply Ability: 1500Sq.m/months



Product Specification

- Product Name: P2.604 Indoor Full Color LED Display
- Pixel Pitch: P2.604
- Pixel Configuration: 1R1G1B/SMD1515 Black Lamp
- Density: 147,456 Pixel/m²
- Driving IC: MBI5124+2012
- Brightness: 1000cd/
- Highlight: high definition led display,
commercial advertising led display



Product Description

Self-inspection P2.604 Indoor Full color LED Display 1000cd/

Description:

1) Guidance service: We can guide on line if customers have questions about the installation and usage. For large project, we provide your engineer a week free training, or if customer could bear the relevant cost, our engineer can go to customer's country for on-site guidance.

2) Warranty period: 2 years after shipment.

3) Maintenance principles: response in time, solve problems as soon as possible and ensure the use.

4) Maintenance terms: In the Maintenance period, free of all maintenance charges. Under normal use and storage, our company will be responsible for the equipments.

P2.604 Indoor Full color LED Display Specification

Product Name	Specification
Pixel Pitch	P2.604
Pixel Configuration	1R1G1B/SMD1515 Black lamp
Density	147,456 pixel/m ²
Module Size(L×W)mm	250mm×250mm
Cabinet Size(L×W×H)mm	500mm×500mm×90mm
Module Resolution	96×96
Cabinet Resolution	192×192
Driving Method	1/24 Scan
Driving IC	MBI5124+2012
Brightness	1000CD/
Contrast	1000:1
Brightness Adjustment	Auto and Manual
Power Consumption	Max Power: 400W
	Average power: 120W
Module Weight	0.5kg
Color Temperature	9500K—11500K
Horizontal Viewing Angle	140°
Vertical Viewing Angle	140°
Signal Processing	10 or 14bit
Grey Processing	1024×1024×1024
	16834×16834×16834
Control Distance	cable100m,Multimode500m,Single mode 2km
Frame Frequency	65 Hz
Refresh Rate	>3840Hz
Control Mode	Synchronous/Asynchronous
The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
	Users can choose the recommended curve or adjust it based on actual situation
MTBF	>50000 hours
Life Span	100,000 Hours
Operating Temperature	Working : -20 - 65
	Storage : -40 - 85
Environment Temperature	-30 to 60 ; humidity Rh10% to 95%
Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
Power Supply	AC 110-220V
Protection Level	IP 41



Our products WeiGu LED displays in the rapidly expanding Chinese market at the same time, has towards the international market, and the share of export gradually increasing. (all of our products passed RoHS/CCC/CE/EMC/ISO /FCC certifications. The LED application product variety is complete which researched and manufactured by our company, the product structure diversifying. Including: Cover the indoor and outdoor series. Such like: 1. Rental display; 2. Advertising LED display; 3. LED TV; 4. Full color anomalous display etc. Products are widely used in various public places: Such as commercial plaza, government agency, stadiums, transport facilities, financial institutions, theater, performance hall, etc. Our products are exported to the United States, Europe, southeast Asia and other countries, Hong Kong, Taiwan and other regions. With international standards of production process, strictly control product quality and won the customer consistent high praise.

Through the ways like cooperation with local customers, set up offices in local, WeiGu LED have set up a batch of after-sales service which can rapidly solve problems. For rapid response, to quickly solve customer problem, personalized solutions. Make the products and services reflect personalized, comprehensive, long cycle, less defects. WeiGu LED is located in Shiyan Town, Baoan district, Shenzhen. Positive response national green environmental protection, energy conservation and emission reduction policy in developing process. We continue to focus on the LED display, striving to become the world's highest cost-effective LED supplier, the solution to the overall service, with the attitude of a new high-speed development in LED display industry.

Vegoo 威固电子 **Shenzhen Weigu Electronic Technology Co., Ltd.**

☎ 86-15118043086

✉ Linda@vegooled.com

🌐 hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District, Shenzhen, China