

High Definition Advertising HD LED Display Screens P2.976 250mm×250mm

Our Product Introduction

for more products please visit us on hdled-display.com


Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-HD 2.976
- Minimum Order Quantity: 1Sq.m
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 15 working days
- Payment Terms: Western Union, T/T
- Supply Ability: 1500Sq.m/months



Product Specification

- Product Name: P2.976 Indoor Full Color LED Display
- Pixel Pitch: 2.976mm
- Pixel Configuration: 1R1G1B/SMD2121 Black Lamp
- Density: 112,896 Pixel/m²
- Module Size(L×W)mm: 250mm×250mm
- Module Resolution: 84×84
- Driving IC: MBI5124+2012
- Brightness: 1000cd/
- Highlight: **high resolution led display, commercial advertising led display**



Product Description

high Brightness P2.976 Indoor Full color LED Display 250mm×250mm

Description:

1. Long term brightness. More than 1000 nits brightness for Indoor full color LED display, brightness for indoor full color LED display capacity throughout products lifetime of LED display screen.
2. Easy installation and programming. Easy and simple installation interface, use friendly software to ensure the user programme the LED display screen system.
3. Convenient servicing. Front and rear cabinet access makes maintenance work very convenient and low cost to help you concentrate more time and energy on your main marketing promotion business.
4. The list of available models of our LED display/screen/panels/signs.P3.91mm, P4.81mm,

P2.976 Indoor Full color LED Display Specification

NO:	Product Name	Specification
1	Pixel Pitch	2.976mm
2	Pixel Configuration	1R1G1B/SMD2121 Black lamp
3	Density	112,896 pixel/m ²
4	Module Size(L×W)mm	250mm×250mm
5	Cabinet Size(L×W×H)mm	500mm×500mm×90mm
6	Module Resolution	84×84
7	Cabinet Resolution	168×168
8	Driving Method	1/28 Scan
9	Driving IC	MBI5124+2012
10	Brightness	1000CD/
11	Contrast	1000:1
12	Brightness Adjustment	Auto and Manual
13	Power Consumption	Max Power: 800W
14		Average power: 400W
15	Module Weight	0.5kg
16	Color Temperature	9500K—11500K
17	Horizontal Viewing Angle	140°
18	Vertical Viewing Angle	140°
19	Signal Processing	10 or 14bit
20	Grey Processing	1024×1024×1024 16834×16834×16834
21	Control Distance	cable100m,Multimode500m,Single mode 2km
22	Frame Frequency	65 Hz
23	Refresh Rate	>3840Hz
24	Control Mode	Synchronous/Asynchronous
25	The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
26		Users can choose the recommended curve or adjust it based on actual situation
27	MTBF	>50000 hours
28	Life Span	100,000 Hours
29	Operating Temperature	Working : -20 - 65
30		Storage : -40 - 85
31	Environment Temperature	-30 to 60 ; humidity Rh10% to 95%
32	Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
33	Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
34	Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
35	Power Supply	AC 85-264V

36	Protection Level	IP 41
----	------------------	-------

Customer Service

- 1) Guarantee Time: Within one year after delivery form factory
- 2) Maintenance Coverage : LED modules,Power supply ,Control system and other accessories (This warranty exclude accessories purchasing form other factory)
- 3) Maintenance Mode :
By returned maintenance , through express or by other way
- 4) Response time for maintenance :Return mode: after receiving the returned products, we will repaired them within 24 hours and send them back to the user;Telephone or internet mode: we will contact user within 2 hours after getting informations and give solution within 8 hours;On-site mode: (only for user inside china) after receiving maintenance request , we will respond within 48 hours to user in Guangdong province; 72 hours to user outside Guangdong province, In the case of some special conditions , problems could be solved on the basis of friendly negotiation between two parties.



Vegoo 威固电子 **Shenzhen Weigu Electronic Technology Co., Ltd.**

☎ 86-15118043086 ✉ Linda@vegooled.com 🌐 hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District, Shenzhen, China