


## Nation Star SMD2121 Led Video Panel Rental Indoor 3.91mm Pixel Pitch 1000cd/ Brightness

Our Product Introduction

### Basic Information

- Place of Origin: Made in China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-RD-P3.91-500-1
- Minimum Order Quantity: 1 sq.m
- Packaging Details: Flight case
- Delivery Time: 15-20 days
- Supply Ability: 3000sq.m/month



### Product Specification

- Product Name: P3.91 Indoor LED Display
- Pixel Pitch: 3.91mm
- Pixel Configuration: 1R1G1B/SMD2121 Black Lamp
- Density: 65,536 Pixel/m<sup>2</sup>
- Module Size(L×W)mm: 250mm×250mm
- Cabinet Size(L×W×H)mm: 500mm×500/1000mm
- Brightness: 1000cd/
- Contrast: 1000:1
- Material: Nation Star SMD2020
- Usage: Indoor Portable
- Application: Live Events, TV Station, airport Station, advertising Video Wall
- Material: Die Casting Aluminum
- Function: Outdoor Rental Use
- Application: Stage, conference, concert



for more products please visit us on [hdled-display.com](http://hdled-display.com)

## Product Description

### High quality LED display for P3.91 indoor die casting aluminum panel 500x500,1000mm nation star SMD2121

#### Application:

Nation Star SMD2020 High Refresh Rate 3840Hz 8kg Wall Mounted Cabinet are the most welcomed indoor rental led display, widely used for stage, events, live broadcasting etc.

#### Features and Advantages:

Unique fast lock design, the upper and lower cabinet connection can be completed in only one second

#### Adjustable Angle Lock, Flexible Stage Design

Arc-shaped connection available, with angle adjustment device, concave and convex 10 degrees of adjustment to meet the different arc connection applications.

#### Slim and Light Weight Die Casting Aluminum Cabinet Design

Weight only 8kg, easy to handle. Die cast aluminum cabinet, perfect splicing without gaps. Fast locking makes assembly and disassembly extremely easy. High-quality plugs ensure reliability.

#### Front Maintenance Magnetic Module

Snap-in quick disassembly design, maintenance and installation is more efficient and convenient.

#### P3.91 Indoor Full color LED Display Specification

NO:	Product Name	Specification
1	Pixel Pitch	3.91mm
2	Pixel Configuration	1R1G1B/SMD2121 Black lamp
3	Density	65,536 pixel/m <sup>2</sup>
4	Module Size(L×W)mm	250mm×250mm
5	Cabinet Size(L×W×H)mm	500mm×1000mm×90mm
6	Module Resolution	64×64
7	Cabinet Resolution	128×256
8	Driving Method	1/16 Scan
9	Driving IC	MBI5124 or ICN 2038S
10	Brightness	1000cd/
11	Contrast	1000:1
12	Brightness Adjustment	Auto and Manual
13	Power Consumption	Max Power: 600W
14		Average power: 200W
15	Module Weight	0.52kg
16	Color Temperature	9500K—11500K
17	Horizontal Viewing Angle	160°
18	Vertical Viewing Angle	120°
19	Signal Processing	10 or 14bit
20	Grey Processing	1024×1024×1024 16834×16834×16834
21	Control Distance	cable100m,Multimode500m,Single mode 2km
22	Frame Frequency	65 Hz
23	Refresh Rate	>1920Hz
24	Control Mode	Synchronous/Asynchronous
25	The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
26		Users can choose the recommended curve or adjust it based on actual situation
27	MTBF	>50000 hours
28	Life Span	100,000 Hours
29		Working : -20 - 65

30	Operating Temperature	Storage : -40 - 85
31	Environment Temperature	-30 to 60 ; humidity Rh10% to 95%
32	Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
33	Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
34	Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
35	Power Supply	AC 110-220V
36	Protection	dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

### Service and Guarantees

Services Before-sale: Set a special telephone line to resolve the confusion from clients and supply free technology services by telephone. Consider the demands of clients carefully , study the situation of the installation condition , Team up the related staff and workers promptly , give clients design program details to help them choose the products which they wanted as soon as possible

Service In - sales : Try the best to meet the reasonable demands by clients Provisional changed . Keep close touch with the clients during the period if installation . Cooperate friendly with the clients, satisfy the clients with the best quality of led display .

### Contact:

Seven Liu  
Shenzhen Weigu Electronic Technology Co.,LTD  
Whatsapp/WeChat/Phone: +8618991939397  
Email: seven@vegooled.com  
web: www.hdled-display.com



**Shenzhen Weigu Electronic Technology Co., Ltd.**



86-15118043086



Linda@vegooled.com



hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District ,  
Shenzhen, China