

Remote Control P5 Rental LED Display Outdoor Full Color Light Weight

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-RD 6
- Minimum Order Quantity: Negotiation
- Price: Negotiable
- Packaging Details: Flight case
- Delivery Time: 10-15 days
- Payment Terms: L/C, T/T
- Supply Ability: 3000sq.m/month



Product Specification

- Product Name: Rental LED Display
- Pixel Pitch: 5mm
- Moduel Size(L×W)mm: 320mm×160mm
- Cabinet Size(L×W×H)mm: 640mm×640mm×130mm
- Advantge: Light Weight
- Control: Remote Control
- Highlight: **stage rental led display,**
outdoor rental led display

for more products please visit us on hdled-display.com

Product Description

Remote Control P5 Rental LED Display Outdoor Full Color Light Weight

Rental LED Display Features

1. High quality LED chip and high anti-static electricity capacity.
2. Large viewing angle and smooth displaying provide excellent visual effect from every angle.
3. The integration of lamp and driving IC, together with the multi-circuit structure, achieves evenly-distributed current, low power consumption and fast heat dissipation.
4. Ultra-high brightness, low attenuation, high reliability and weather ability.
5. High contrast ratio. Adopting black lamps can improve the contrast ratio by 50%.

Rental LED Display Specification

Product Name	Specification
Pixel Pitch	5mm
Pixel Configuration	1R1G1B/SMD2727
Density	40,000 pixel/m ²
Module Size(L×W)mm	320mm×160mm
Cabinet Size(L×W×H)mm	640mm×640mm×130mm
Module Resolution	64×32
Cabinet Resolution	192×192
Driving Method	1/8 Scan
Driving IC	MBI5124 or ICN 2038S
Brightness	6000cd/
Contrast	1000:1
Brightness Adjustment	Auto and Manual
Power Consumption	Max Power: 750W Average power: 225W
Module Weight	0.28kg
Color Temperature	9500K—11500K
Horizontal Viewing Angle	140°
Vertical Viewing Angle	140°
Signal Processing	10 or 14bit
Grey Processing	1024×1024×1024 16834×16834×16834
Control Distance	cable100m,Multimode500m,Single mode 2km
Frame Frequency	65 Hz
Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
Power Supply	AC 85-264V
Protection	waterproof, dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

About US

Our products WeiGu LED displays in the rapidly expanding Chinese market at the same time, has towards the international market, and the share of export gradually increasing. (all of our products passed RoHS/CCC/CE/EMC/ISO /FCC certifications. The LED application product variety is complete which researched and manufactured by our company, the product structure diversifying. Including: Cover the indoor and outdoor series. Such like: 1. Rental display; 2. Advertising LED display; 3. LED TV; 4. Full color anomalous display etc. Products are widely used in various public places: Such as commercial plaza, government agency, stadiums, transport facilities, financial institutions, theater, performance hall, etc. Our products are exported to the United States, Europe, southeast Asia and other countries, Hong Kong, Taiwan and other regions. With international standards of production process, strictly control product quality and won the customer consistent high praise.



Shenzhen Weigu Electronic Technology Co., Ltd.



86-15118043086



Linda@vegooled.com



hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District,
Shenzhen, China