



## Flexible Indoor Full Color LED Display Rental Screen 62,500 Pixel/M2

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-FD 3
- Minimum Order Quantity: negotiation
- Price: negotiation
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 15 working days
- Supply Ability: 3000 Sq.m / month



### Product Specification

- Product Name: Indoor Full Color LED Display
- Pixel Pitch: 4mm
- Density: 62,500 Pixel/m2
- Feature: Flexible
- Brightness: 1000cd/
- Application: Rental
- Highlight: indoor advertising led display ,  
indoor full color led display screen

for more products please visit us on [hdled-display.com](http://hdled-display.com)

## Product Description

### Flexible Indoor Full Color LED Display Rental Screen 62,500 Pixel/M2

#### Indoor Full Color LED Display Description:

1. P4 Indoor Full Color LED Display provide personalized solution according to actual request of customer;
2. Wide viewing angle: 140 degree both at horizontal and vertical line, no picture change, no color excursion;
3. Powerful image processing functions, RGB three color brightness, contrast, Gamma curve, each parameter adjustable;
4. Adopt reliable aluminum cabinet, solve heat dissipation problem of high density board from design.

#### Indoor Full Color LED Display Specification:

Product Name	Flexible Indoor Full Color LED Display Rental Screen 62,500 Pixel/M2
Pixel Pitch	4mm
Pixel Configuration	1R1G1B/SMD2121 Black lamp
Density	62,500 pixel/m2
Module Size(L×W)mm	256mm×128mm
Cabinet Size(L×W×H)mm	512mm×512mm×90mm
Module Resolution	64×32
Cabinet Resolution	128×128
Driving Method	1/16 Scan
Driving IC	MBI5124 or ICN 2038S
Brightness	1000cd/
Contrast	1000:1
Brightness Adjustment	Auto and Manual
Power Consumption	Max Power: 610W
	Average power: 240W
Module Weight	0.2kg
Color Temperature	9500K—11500K
Horizontal Viewing Angle	140°
Vertical Viewing Angle	140°
Signal Processing	10 or 14bit
Grey Processing	1024×1024×1024 16834×16834×16834
Control Distance	cable100m,Multimode500m,Single mode 2km
Frame Frequency	65 Hz
Refresh Rate	>1920Hz
Control Mode	Synchronous/Asynchronous
The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
	Users can choose the recommended curve or adjust it based on actual situation
MTBF	>50000 hours
Life Span	100,000 Hours
Operating Temperature	Working : -20 - 65
	Storage : -40 - 85
Environment Temperature	-30 to 60 ; humidity Rh10% to 95%
Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
Power Supply	AC 110–220V
Protection	dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

#### Indoor Full Color LED Display Applications:

Music Venues and Concerts  
 Large Offices  
 Theater and Arts  
 TV Shows  
 Car Shows

## Indoor Full Color LED Display Pictures



### Service After-sale:

Normal products have one year guarantee, and whole life maintenance, free charges . we just charge materials cost only if products out off guarantee.

You can down load and upgrade the related operating software of Led display freely from our company website , so as to resolve the problems when you use our led display .

Check the quality of appliance , do maintenance job and ask good suggestions form clients on a regular time schedule .

### Customer Service

1) Guarantee Time: Within one year after delivery form factory

2) Maintenance Coverage : LED modules,Power supply ,Control system and other accessories ( This warranty exclude accessories purchasing form other factory )

3) Maintenance Mode :

By returned maintenance , through express or by other way

4) Response time for maintenance :

Return mode: after receiving the returned products, we will repaired them within 24 hours and send them back to the user;

Telephone or internet mode: we will contact user within 2 hours after getting informations and give solution within 8 hours;

On-site mode: ( only for user inside china ) after receiving maintenance request , we will respond within 48 hours to user in Guangdong province; 72 hours to user outside Guangdong province, In the case of some special conditions , problems could be solved on the basis of friendly negotiation between two parties.



**Shenzhen Weigu Electronic Technology Co., Ltd.**



86-15118043086



Linda@vegooled.com



hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District ,  
Shenzhen, China