

Indoor Advertising Led Large Screen Display Digital Billboards Life Span 100000 Hours

Our Product Introduction

for more products please visit us on hdled-display.com


Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VGGOBRP1.9
- Minimum Order Quantity: 1 square meter
- Price: USD2200-USD3200/square meter
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 15 working days
- Payment Terms: Western Union, T/T, L/C
- Supply Ability: 1500Sqm/months






Product Specification

- Product Name: P1.953 GOB Fine Pitch Rental LED Display
- Pixel Pitch: 1.953mm
- Pixel Configuration: 1R1G1B/SMD1515 Black Lamp
- Density: 262160 Pixel/m2
- Moduel Size(L×W)mm: 250mm×250mm
- Module Resolution: 128×128
- Driving Method: 1/32 Scan
- Driving IC: MBI5153
- Brightness: 600cd/
- Application: Indoor Rental GOB
- Adervantege: Top GOB Protection
- Highlight: **high definition led display, commercial advertising led display**



More Images



Product Description

P1.9 GOB Fine Pith LED Display for Rental Indoor Advertising Digital Billboards Life Span 100000 Hours

- **Rental** Indoor advertising, digital billboards, advertising companies
- Sports halls, fields, playgrounds, school church
- Airports, bus stations and railway passenger terminals.
- Facades of shopping malls, department stores, banks and car dealerships.
- Architecture and social projects, information systems in cities.

Our Product

--- Show-business, concerts, festivals, motor shows and other public events.

P1.953 Indoor Full color LED Display Specification

NO:	Product Name	Specification
1	Pixel Pitch	1.953mm
2	Pixel Configuration	1R1G1B/SMD1515 Black lamp
3	Density	262,161 pixel/m2
4	Module Size(L×W)mm	250mm×250mm
5	Cabinet Size(L×W×H)mm	500mm×500mm×75mm
6	Module Resolution	128×128
7	Cabinet Resolution	256×256
8	Driving Method	1/32 Scan
9	Driving IC	MB15153
10	Brightness	600CD/
11	Contrast	1000:1
12	Brightness Adjustment	Auto and Manual
13	Power Consumption	Max Power: 1000W
14		Average power: 450W
15	Module Weight	0.25kg
16	Color Temperature	9500K—11500K
17	Horizontal Viewing Angle	140°
18	Vertical Viewing Angle	140°
19	Signal Processing	10 or 14bit
20	Grey Processing	1024×1024×1024 16834×16834×16834
21	Control Distance	cable100m,Multimode500m,Single mode 2km
22	Frame Frequency	65 Hz
23	Refresh Rate	>3840Hz
24	Control Mode	Synchronous/Asynchronous
25	The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
26		Users can choose the recommended curve or adjust it based on actual situation
27	MTBF	>50000 hours
28	Life Span	100,000 Hours
29	Operating Temperature	Working : -20 - 65
30		Storage : -40 - 85
31	Environment Temperature	-30 to 60 ; humidity Rh10% to 95%
32	Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
33	Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
34	Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
35	Power Supply	AC 85-264V
36	Protection Level	IP 41



Competitive Price

With large scale production capacity and professional production technology,our company have built effective modular production.We always stick to promote the technical innovation and reduce cost to benefit customers.

Fast Delivery

Once we promise the delivery date,we will try our best to fulfill it.Special procedures such as emergency inventory will be used to maintain your uninterrupted supply of the products.

Perfect Service

Pre-sales:Your purchasing requirements will be highly valued and we'll recommend suitable products to you.

After-sales:We will track the products usage and then constantly perfect our products.



Shenzhen Weigu Electronic Technology Co., Ltd.

☎ 86-15118043086

✉ Linda@vegooled.com

🌐 hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District, Shenzhen, China