# Indoor display creative Led Screen Led Sign board spliced by mini Module P3 48mm x 48mm

Our Product Introduction

## Basic Information

- Place of Origin: CHINA
- Brand Name: VEGOO
- Certification: ROSH CE
- Model Number: VG-P3 M M 48
- Minimum Order Quantity: 1 Piece
- Price: USD 500-1000 per Sqm
- Packaging Details: 650 x 650 x 90cm
- Delivery Time: 15-30working days
- Payment Terms: T/T
- Supply Ability: 3000sqm per month



## Product Specification

- Screen Dimension: Customized Size
- Led Chip: Nationstar
- Refresh Rate: 1920Hz,3840HZ
- Power Supply: 50~60Hz,G-energy
- Pixel Density: 111111Pixel /m2
- Color: Full-color
- Warranty: 2 Years
- Display Function: Video,Graphics,Animation
- Life Span: 100000 Hours
- Module Size: 48mm X 48mm
- Highlight: **full color led display board**, **indoor full color led display screen**



## More Images



for more products please visit us on hdled-display.com

Our Product Introduction

## Product Description

**About Us:**
We are one of the professional led display manufacturers in China and we have our own researching and developping department for customized led display and solutions . To cooperatted with us , you will save more money and more precious time.

for more products please visit us on hdled-display.com

Our factory is located in Guangming New district , Shenzhen , China.

With Excellent Location, we can deliver your order to Shenzhen international Airport within 30 minutes and to Yantian port (one of the bigest port in the world) within 40 minutes .

**Applications**:
Our products widely used in various public places such as commercial plaze , Stations ,Airport ,Stadiums, Transport Facilities,Museum , Sience Museum , Theme park, Theater, Stage etc.....

Our products range covered all Led modules & displays, From Pixel Pitch P0.9 to P10 SMD indoor and from P3 to P10 SMD outdoor displays . More is that we have our own D&P dpt for providing you many creative led display solutions.

NO: Product Name Specification
1 Pixel Pitch 3.0mm
2 Pixel Configuration 1R1G1B/SMD2121 Black lamp
3 Density 111111 pixel/m2
4 Moduel Size(L×W)mm 48mm×48mm
5 Cabinet Size customized
6 Module Resolution 16 X 16
7 Cabinet Resolution according to actual size
8 Driving Method 1/16 Scan
9 Driving IC MBI5153
10 Brightness 600CD/
11 Contrast 1000:01:00
12 Brightness Adjustment Auto and Manual
13 Power Consumption Max Power: 800W
14 Average power:  300W
15 Module Weight 0.05kg
16 Color Temperature 6000K—9000K
17 Horizontal Viewing Angle 120º
18 Vertical Viewing Angle 120º
19 Signal Processing 10 or 14bit
20 Grey Processing 1024×1024×1024
16834×16834×16834

21 Control Distance cable100m,Multimode500m,Single mode 2km
22 Frame Frequency 65 Hz
23 Refresh Rate >3840Hz
24 Control Mode Synchronous/Asynchronous
25 The Opposite Calibration Curve With Eight Optional Gamma Calibration Curve
26 Users can choose the recommended curve or adjust it based on actual situation
27 MTBF >50000 hours
28 Life Span 100,000 Hours
29 Operating Temperature Working : -20 - 65
30 Storage : -40 - 85
31 Environment Temperature -30  to 60 ; humidity Rh10% to 95%
32 Remote Control Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
33 Self-checking Technique Self-inspection, communication test, power test, temperature monitoring (Be customized)
34 Operating System Platform WindowsNT,Windows2000,WindowsXP,Windows7
35 Power Supply AC 110-220V
36 Protection IP 41

**Shenzhen Weigu Electronic Technology Co., Ltd.**

86-15118043086 Linda@vegooled.com hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community,Ma Tian Street,Guangming District , Shenzhen,China