

Advertising HD Digital P6 SMD3535 Outdoor Full Color LED Display

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE
- Model Number: VG-P6-B
- Minimum Order Quantity: 1sqm
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 10-20 days
- Payment Terms: T/T
- Supply Ability: 5000 Sqm/month



Product Specification

- Pixel Pitch: 6mm
- Density: 27,777 Pixel/m²
- Moduel Size(L×W)mm: 192mm×192mm
- Brightness: 6500cd/
- Highlight: **SMD3535 outdoor video wall, P6 programmable outdoor signs**



for more products please visit us on hdled-display.com

Product Description

full color P6 LED screen Outdoor HD LED displays digital screen modules billboard panel for advertising

P6 Outdoor Full color LED Display Specification		
NO	Product Name	Specification
1	Pixel Pitch	6mm
2	Pixel Configuration	1R1G1B/SMD3535
3	Density	27,777 pixel/m ²
4	Module Size(L×W)mm	192mm×192mm
5	Cabinet Size(L×W×H)mm	576mm×576mm×90mm
6	Module Resolution	32×32
7	Cabinet Resolution	96×96
8	Driving Method	1/8 Scan
9	Driving IC	FM6124
10	Brightness	6500cd/
11	Contrast	6000 :1
12	Brightness Adjustment	Auto and Manual
13	Power Consumption	Max Power: 810W
14		Average power: 405W
15	Cabinet Weight	8.5kg
16	Color Temperature	2000K—9500K
17	Horizontal Viewing Angle	140°
18	Vertical Viewing Angle	140°
19	Signal Processing	16bit
20	Grey Processing	1024×1024×1024 16834×16834×16834
21	Control Distance	cable100m,Multimode500m,Single mode 2km
22	Frame Frequency	65 Hz
23	Refresh Rate	>1920Hz
24	Control Mode	Synchronous/Asynchronous
25	The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
26		Users can choose the recommended curve or adjust it based on actual situation
27	MTBF	>50000 hours
28	Life Span	100,000 Hours
29	Operating Temperature	Working : -20 - 65
30		Storage : -40 - 85
31	Environment Temperature	-30 to 60 ; humidity Rh10% to 95%
32	Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
33	Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
34	Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
35	Power Supply	AC 110-220V/5V60Hz
36	Protection	waterproof, dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

1. High refresh rate 2400Hz ,best scan method for energy saving, perfect 16bits grey level, exclusive technology on driving IC to remove ghost shadow and more pattern, good effect on photographing.



2. Thin: It is die-casting aluminum cabinet, thus it is featured by high strength, toughness, precision and it is hard to be deformed. The edge is just 33mm comparing to the 160mm of common cabinet.

3. Fast: There is fast locking device in four corners. It takes only 10 seconds to assemble one cabinet . It is fast and precise

assembling.

4. Easy: The die-casting aluminum cabinet is modular designed, each cabinet of the screen can be easily dismantled and assembled(replaced). Best choice for Rental LED display,Rental LED screen,outdoor rental led display,indoor Rental LED display.

5. Low: Excellent heat dissipation design, plus fans for heat dissipation. Low noise, light weight, low cost for transportation and assembling without tools with low cost for assembling.



FAQ

1. What type of LED screen is used for roadside advertising?
Recommend using P6

2. How can I achieve wireless connection to the LED screen?

Configure wifi send card, mobile phone can control led screen

3. How long is the delivery time for the 100 square LED display?

Production takes 15-25 days

4. How to sew a big screen?

We will provide design drawings and related installation tutorials

5. How to play video after installation

For your convenience, we will provide software-related operation tutorial



Shenzhen Weigu Electronic Technology Co., Ltd.



86-15118043086



Linda@vegooled.com



hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District, Shenzhen, China