

## Indoor Fine Pixel Pitch P1.56 Aluminum Material Cabinet LED Display For High-End Commercial Applications

Our Product Introduction

for more products please visit us on [hdled-display.com](http://hdled-display.com)

### Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-FD 3
- Minimum Order Quantity: 1 Sq.m
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 15 working days
- Supply Ability: 3000 Sq.m / month



### Product Specification

- Module Resolutio: 128dots(W)\*96dots(H)
- Pixel Pitch: 1.56mm
- Warranty: 2 Years
- Drive Type: Constant Drive
- Best Viewing Angle: H:140°; V:120°
- Recommended Viewing Distance: ≥1.5m
- Driver IC: ICN2163
- Refresh Rate: 3840Hz
- Operating Temperature/Humidity: -20 ~+50
- Average Power Consumption: 120w/
- Highlight: **P1.56 Indoor LED Display ,  
Indoor Fine Pixel Pitch LED Display ,  
Aluminum Material Cabinet LED Display**



## Product Description

### Products Description

Vegoo small pixel pitch LED display was born to replace LCD video wall, it is more suitable for indoor high-end commercial applications. It provides a better color and visual experience with gaps.

We offer pitch LED display 6.67. LED digital display Conference display LED video wall Feel free to contact us.

Perfect visual representation

3840mm refresh, 160 degrees no dead Angle viewing experience, 5000:1 high contrast, 65536 gray level, perfect presentation of high-end small spacing standards.

Thin and light

A single cabinet weighs 30.5kg and is only 100mm thick. It can be hung on a wall. All cabinet components are accessible from the front and are equipped with magnetic tools to ensure efficient maintenance.

Silent operation

The fanless design, energy efficient IC and low heat transfer provide ultra-quiet LED display. Optional high-grade dual power signal transmission system High system stability, 100,000 hours of trouble-free operation.

### advantage:

It can save costs, increase productivity and improve efficiencies of cost savings, increased productivity, improved efficiency, etc.




We believe INDOOR Full Color Display Screen VG-P1.56-48scan SMALL Digital Signage SPACING P1.56 SMD 3IN1-1010 Wholesale for council chamber offers an unmatched combination of quality, performance and value. If you have any questions about this product or would like to learn more about how it can benefit your business, please feel free to contact us.

We are committed to providing excellent customer service and helping our customers achieve their business goals. tions about this product or would like to learn more about how it can benefit your business, please don't hesitate to contact us. We are dedicated to providing excellent customer service and helping our customers achieve their business goals.

### Technical Parameter

|                    | Item                           | Parameter            |
|--------------------|--------------------------------|----------------------|
| Unit Module        | Model Number                   | VG-P1.56-32scan      |
|                    | Module Size                    | 200mm*150mm          |
|                    | Physical Pitch                 | 1.56mm               |
|                    | Physical Density               | 409600 dots/m2       |
|                    | Pixel Configuration            | 1R1G1B               |
|                    | LED Package Mode               | SMD 3IN1-1010        |
|                    | Module Resolution              | 128dots(W)*96dots(H) |
|                    | Max Power Consumption          | 14W                  |
|                    | Module Thickness               | 14mm                 |
|                    | Module Weight                  | 358g                 |
|                    | Drive Type                     | Constant drive       |
|                    | Scan Mode                      | 1/32 scan            |
|                    | Port Type                      | Customize            |
|                    | Match Cabinet Size             | W400mm*H300mm        |
| Display Parameters | Best Viewing Angle             | H:140° ;V:120°       |
|                    | Recommended Viewing Distance   | ≥1.5m                |
|                    | Driver IC                      | ICN2163              |
|                    | Refresh Rate                   | 3840Hz               |
|                    | Brightness of White Balance    | 700cd/               |
|                    | Input Voltage                  | 110-220V;AC±10%      |
|                    | Operating Temperature/Humidity | -20 ~+50             |
|                    | Average Power Consumption      | 120w/                |
|                    | Max. Power Consumption         | 500w/                |
|                    | Life Time                      | >100000 hours        |
|                    | Bad Light Rate                 | <0.0001              |
|                    | MTBF                           | >5000 hours          |

### Detail Images



#### Product Packaging

#### Package Pictures:



Flight case



Wooden case



Moisture proof



Shenzhen Weigu Electronic Technology Co., Ltd.

86-15118043086

Linda@vegooled.com

hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District, Shenzhen, China